



Element14* PDMS 10-A

Element14* PDMS 10-A

Description

Element14 PDMS 5 and Element14 PDMS 10 are low viscosity, linear polydimethylsiloxane polymers with typically dynamic viscosities of 5 and 10mPa•s (cps).

Key Features and Benefits

Silicones differ from organic compounds in both their physical and chemical properties.

- High and low temperature stability
- Oxidative stability
- Chemically inert
- Low flammability
- Low surface tension
- Shear stability
- High compressibility
- Low vapor pressure
- Low odor
- Soft, smooth silky feel
- Non-oily feel
- Spreadability
- Low coefficient of friction
- Lubricious

Typical Physical Properties

	Element14 PDMS 5A	Element14 PDMS 10A
Viscosity, mPa•s (cps)	5	10
Appearance	Clear, colorless liquid	
Acid Number	<=5.0	<=5.0
Color (PtCo)	<=15	<=15
Flash Point, closed cup, °C	>=121	>=170
Viscosity @ 25°C	4.5-5.5	9.0-11.0
Arsenic (ppm)	<=2.0 (every 10th batch)	<=2.0 (every 10th batch)
Heavy Metals (ppm)	<=10.0 (every 10th batch)	<=10.0 (every 10th batch)
Specific Gravity (@ 25°C)	0.912-0.920	0.931-0.939
Refractive Index (@ 25°C)	1.3950-1.3990	1.3980-1.4000
Viscosity Coefficient	0.53-0.57	0.55-0.59
Pour Point, °C	--100	--90

Surface Tension, dynes/cm (@ 25°C)	19.7	20.1
Thermal Conductivity, W•m-1•K-1	0.116	0.14
Coefficient of Expansion, 10-3/°C	1.08	1.03
Note: Test data. Actual results may vary.		

Potential Applications

Element14 PDMS 5 and Element14 PDMS 10 may be considered for use in several industrial and consumer applications.

- Heat and mechanical transfer fluid
- Hydraulic fluid
- Electrical insulating fluid
- Water repellent
- Polish ingredient
- Mold release agent
- Lubricant
- Anti-foam
- Personal care ingredient
- Textile spin finishes
- Paints and coatings additive

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Product Safety, Handling and Storage

Customers should review the latest Material Safety Data Sheet (MSDS) and label for product safety information, safe handling instructions, personal protective equipment if necessary, and any special storage conditions required for safety. MSDS are available at www.momentive.com or, upon request, from any Momentive Performance Materials (MPM) representative. **For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center.** Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

From automotive to healthcare, from electronics to construction, products from Momentive Performance Materials Inc. are practically everywhere you look. We are a global leader in silicones and advanced materials with a 70+ year heritage of innovation and being first to market – with performance applications that improve everyday life. By knowing our customers' needs and creating custom technology platforms for them, we provide science based solutions to help customers increase performance, solve product development issues and engineer better manufacturing processes.

Contact Information

For product prices, availability, or order placement, contact our customer service by visiting www.momentive.com/Contacts

For literature and technical assistance, visit our website at: www.momentive.com

Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.

***Element14 is a trademark of Momentive Performance Materials Inc.**

DISCLAIMER

The information provided herein was believed by Momentive Performance Materials Inc. (collectively with its subsidiaries, "Momentive") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for user's intended application or use. All products supplied by Momentive are subject to Momentive's standard terms and conditions of sale. **MOMENTIVE MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY MOMENTIVE**, except that the product shall conform to Momentive's specifications. Nothing contained herein constitutes an offer for the sale of any products.