

SS4120

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** SS4120

**Other means of identification**

**Synonyms:** Primer solution

**Recommended use and restriction on use**

**Recommended use:** Primer

**Restrictions on use:** For industrial use only.

**Manufacturer** : Momentive Performance Materials LLC  
260 Hudson River Road  
Waterford NY 12188

**Distributor Information** : DC Products Pty Limited  
Unit 117/45 Gilby Road  
Mount Waverley 3149  
Australia

**Contact person** : viren.kumar@dcproducts.com.au

**Telephone** : +613 9558 8898

**Emergency telephone number** : +61 418 529 118

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable liquids Category 2

**Health Hazards**

Acute toxicity (Oral) Category 3

Acute toxicity (Dermal) Category 3

Acute toxicity (Inhalation - vapor) Category 3

Serious Eye Damage/Eye Irritation Category 2A

Specific Target Organ Toxicity -  
Single Exposure Category 1

**Label Elements**

**Hazard Symbol:**

**SS4120**



**Signal Word:** Danger

**Hazard Statement:** H225; Highly flammable liquid and vapor.  
H301+H311+H331; Toxic if swallowed, in contact with skin or if inhaled.  
H319; Causes serious eye irritation.  
H370; Causes damage to organs.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting/...] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust or mists.

**Response :** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. Call a POISON CENTER/doctor. If exposed: Call a poison center/doctor. Specific treatment (see on this label). Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. In case of fire: Use alcohol resistant foam for extinction.

**Storage:** Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:**

None.

---

**3. Composition/information on ingredients**

**SS4120**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Ethanol	64-17-5	50 - <100%	# This substance has workplace exposure limit(s).
Methanol	67-56-1	25 - <50%	# This substance has workplace exposure limit(s).
Silicic acid, ethyl ester	11099-06-2	5 - <10%	No data available.

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

- Ingestion:** Rinse mouth with water. Do not induce vomiting. Seek medical attention. Never give liquid to an unconscious person.
- Inhalation:** Move into fresh air and keep at rest. If breathing has stopped, trained personnel should begin artificial respiration immediately and if the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Get medical attention.
- Skin Contact:** Flush contaminated area with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Get medical attention. Wash contaminated clothing before reuse.
- Eye contact:** Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms occur.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** Itching Redness

**Hazards:** This product is not expected to produce adverse effects under normal conditions of use and appropriate personal hygiene.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treatment is symptomatic and supportive.

**5. Fire-fighting measures**

**General Fire Hazards:** Do not use water jet as an extinguisher, as this will spread the fire. Use water spray to keep fire-exposed containers cool.

---

**SS4120**

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:** water jet

**Specific hazards arising from the chemical:** Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger. Ground container and transfer equipment to eliminate static electric sparks.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Product may charge electrostatically during pouring or filling. All equipment used when handling the product must be grounded.

**Special protective equipment for fire-fighters:** Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

---

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Attention: Not for injection into humans.

**Methods and material for containment and cleaning up:** Warn other workers of spill. Wear proper protective equipment as specified in the protective equipment section. Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for disposal.

**Notification Procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

**Environmental Precautions:** Avoid discharge into drains, water courses or onto the ground.

---

**7. Handling and storage**

**Precautions for safe handling:** Sensitivity to static discharge is expected; material has a flash point below 200 F. Do not breathe vapor/spray. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. See Section 8 of the SDS for Personal Protective Equipment. Wash hands after handling. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures.

**SS4120**

**Conditions for safe storage, including any incompatibilities:**

Keep away from heat, sparks and open flame. Keep container closed. Store in original container.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Ethanol	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2015)
	REL	1,000 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1,000 ppm 1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL	1,880 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	1,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	10,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	18,800 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA PEL	1,000 ppm 1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
Methanol	IDLH	3,300 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)
	LEL	3.3 %	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)
	TWA	200 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	250 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	250 ppm 325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	200 ppm 260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	200 ppm 260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	200 ppm 260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	250 ppm 325 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm 260 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Methanol	STEL	250 ppm 325 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL	2,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	1,600 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	3,900 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

**SS4120**

	ST ESL	3,000 ppb	2016)
	TWA PEL	200 ppm 260 mg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	Ceiling	1,000 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	STEL	250 ppm 325 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	IDLH	6,000 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)

**Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEI (03 2015)

**Appropriate Engineering Controls**

Provide eyewash station and safety shower. General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or in covered equipment.

**Individual protection measures, such as personal protective equipment**

**General information:** General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or in covered equipment.

**Eye/face protection:** Safety glasses with side shields

**Skin Protection**

**Hand Protection:** Chemical resistant gloves

**Other:** Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

**Hygiene measures:** Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid contact with eyes, skin, and clothing. Do not eat, drink or smoke when using the product.

**9. Physical and chemical properties**

**Appearance**

**Physical state:** liquid  
**Form:** liquid

---

**SS4120**

<b>Color:</b>	Colorless
<b>Odor:</b>	No data available.
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	-81.00 °C
<b>Initial boiling point and boiling range :</b>	estimated 65 °C
<b>Flash Point:</b>	11 °C (calculated)
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	19.00 %(V)
<b>Flammability limit - lower (%):</b>	3.30 %(V)
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Heat of combustion:</b>	No data available.
<b>Vapor pressure:</b>	Not applicable
<b>Vapor density:</b>	No data available.
<b>Density:</b>	ca. 0.82 g/cm <sup>3</sup>
<b>Relative density:</b>	0.82
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Soluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Auto-ignition temperature :</b>	185.00 °C
<b>Decomposition temperature:</b>	No data available.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	No data available.
<b>VOC:</b>	794 g/l ;

---

**10. Stability and reactivity**

<b>Reactivity:</b>	No dangerous reaction if used as recommended.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid:</b>	Keep away from heat, sparks and open flame.

---

**SS4120**

**Incompatible Materials:** Oxidizing agents.  
**Hazardous Decomposition Products:** Carbon dioxide

---

**11. Toxicological information**

**Information on likely routes of exposure**

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** ATEmix: 221.24 mg/kg

**Dermal**

**Product:** ATEmix: 681.82 mg/kg

**Inhalation**

**Product:** ATEmix: 6.82 mg/l

**Specified substance(s):**

Ethanol  
LC50 (Mouse): 39 mg/l  
LC50 (Rat): 38.3 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Skin Corrosion/Irritation**

**Product:** No data available.



---

**SS4120**

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Ethanol OECD Test Guideline 405 (Rabbit): Slightly irritating.

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** No data available.

---

**SS4120**

---

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Ethanol LC50 (No data available., 96 h): 15,400 mg/l  
LC50 (Pimephales promelas, 96 h): 14,200 mg/l

Methanol LC50 (Pimephales promelas, 96 h): 28,100 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:** No data available.

**SS4120**

**Known or predicted distribution to environmental compartments**

Ethanol	No data available.
Methanol	No data available.
Silicic acid, ethyl ester	No data available.

**Other adverse effects:** No data available.

**13. Disposal considerations**

**General information:** The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of as unused product.

**14. Transport information**

**DOT**

UN Number:	UN 1992
UN Proper Shipping Name:	Flammable liquids, toxic, n.o.s.(METHANOL, Ethanol)
Transport Hazard Class(es)	
Class:	3
Label(s):	3, 6.1
Packing Group:	II
Marine Pollutant:	No

**IMDG**

UN Number:	UN 1992
UN Proper Shipping Name:	FLAMMABLE LIQUID, TOXIC, N.O.S.(METHANOL, Ethanol)
Transport Hazard Class(es)	
Class:	3
Label(s):	3, 6.1
EmS No.:	F-E, S-D
Packing Group:	II
Marine Pollutant:	No
Limited quantity	1.00L
Excepted quantity	E2

**IATA**

UN Number:	UN 1992
Proper Shipping Name:	Flammable liquid, toxic, n.o.s.(METHANOL, Ethanol)
Transport Hazard Class(es):	
Class:	3
Label(s):	3, 6.1
Packing Group:	II

**SS4120**

Cargo aircraft only Packing Instructions:	364
Passenger and cargo aircraft Packing Instructions:	364
Limited quantity: Packing Instructions:	Y341
Excepted quantity	E2
Environmental Hazards:	Not regulated.
Marine Pollutant:	No

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
 None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethanol	100 lbs.
Methanol	5,000 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
 Hazards Not Otherwise Classified (HNOC)

**SARA 302 Extremely Hazardous Substance**  
 None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethanol	100 lbs.
Methanol	5,000 lbs.

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Ethanol	10000 lbs
Methanol	10000 lbs
Silicic acid, ethyl ester	10000 lbs

**SARA 313 (TRI Reporting)**

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Methanol		

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**  
 None present or none present in regulated quantities.

**SS4120**

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**



**WARNING**

Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**

Ethanol  
Methanol  
Silicic acid, ethyl ester

**US. Massachusetts RTK - Substance List**

**Chemical Identity**

Ethanol  
Methanol

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

Ethanol  
Methanol  
Silicic acid, ethyl ester

**US. Rhode Island RTK**

**Chemical Identity**

Ethanol  
Methanol

**SS4120**

**Inventory Status:**

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
New Zealand Inventory of Chemicals:	y (positive listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
Taiwan Chemical Substance Inventory:	y (positive listing)	Remarks: None.

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	4
<b>Flammability</b>	3
<b>Physical Hazards</b>	0
<b>PERSONAL PROTECTION</b>	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 09/24/2019

**Revision Date:** No data available.

**Version #:** 3.0

**Further Information:** No data available.

**SS4120**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.