

TSK5421L

 Version 0.0
 Print Date 05/24/2011

 Revision Date 00/00/0000
 000000015290

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name : TSK5421L

Product code : 000000015290

Company Name : Momentive Performance Materials Japan LLC

Distributor Information : DC Products Pty Limited

Unit 117 45 Gilby Road

Mount Waverley 3149 Australia

Contact person : Viren Kumar

Telephone : +61 3 95588898

Emergency telephone number

Supplier : 61 418 529 118

2. HAZARDS IDENTIFICATION

GHS Classification:

Explosives; Classification not possible Flammable gas; Not applicable Flammable aerosol; Not applicable Oxidizing gases; Not applicable Gases under pressure; Not applicable Flammable liquids; Not classified Flammable solid; Not applicable

Self-reactive substances and mixtures; Classification not possible

Pyrophoric liquids; Classification not possible

Pyrophoric solids; Not applicable

Self-heating substances and mixtures; Classification not possible

Substances and mixtures, which in contact with water, emit flammable gases; Classification

not possible

Oxidizing liquids; Classification not possible

Oxidizing solids; Not applicable

Organic peroxides; Classification not possible Corrosive to metals; Classification not possible

Acute toxicity; Category 4; Oral

Acute toxicity; Classification not possible; Dermal Acute toxicity; Not applicable; Inhalation - gas

Acute toxicity; Classification not possible; Inhalation - vapour Acute toxicity; Classification not possible; Inhalation - dust and mist



TSK5421L

Version 0.0 Print Date 05/24/2011
Revision Date 00/00/0000 00000015290

Skin corrosion/irritation; Classification not possible

Serious eye damage/eye irritation; Classification not possible

Respiratory sensitizer; Classification not possible

Skin sensitizer; Classification not possible

Germ cell mutagenicity; Classification not possible Carcinogenicity; Classification not possible

Toxic to reproduction; Classification not possible

Specific target organ toxicity - single exposure; Classification not possible Specific target organ toxicity - repeated exposure; Classification not possible

Aspiration hazard; Classification not possible

Acute hazards to the aquatic environment; Classification not possible

Hazardous to the aquatic environment — Chronic Hazard; Classification not possible

GHS-Labelling:



Signal word : warning

Hazard statements : Harmful if swallowed.

Precautionary statements:

Precautionary Statement -

Prevention

: Wash hands thoroughly after handling. Do not eat, drink or

smoke when using this product.

Precautionary Statement -

Response

IF SWALLOWED: Call a POISON CENTER or doctor/physician

if you feel unwell. Rinse mouth.

Precautionary Statement

Disposal

: Dispose of contents/container to an approved incineration

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical nature

Silicone compound



TSK5421L

Version 0.0 Print Date 05/24/2011 Revision Date 00/00/0000 00000015290

4. FIRST AID MEASURES

Inhalation : "If inhaled, move victim to fresh air and seek medical attention."

Skin contact : Wash with plenty of soap and water. Get medical attention if

symptoms occur.

Eye contact : In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

Ingestion : If swallowed, do NOT induce vomiting. Give a glass of water.

Do not give victim anything to drink if he is unconscious. Get

medical attention if any discomfort continues.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Extinguish with foam, carbon dioxide or dry powder.

Special fire fighting

procedures

Remove sources of combustibles. Extinguish the fire using firefighting media listed above. Cool surrounding tanks, buildings

and so on by spraying with water to prevent the fire extension. The fire fighting should be done from the windward side, with suitable respiratory protective device, if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from

the area. Remove sources of ignition. Keep upwind.

Environmental precautions : Do not allow runoff to sewer, waterway or ground.

Methods for cleaning up : Put in an empty container for recovery after preventing spill by

sand or sandbags, if the amount of spill is large. Put in an empty container for recovery after wiping or soaking up in an

inert material, if the amount of spill is small.

Prevention of secondary

hazards

: Remove sources of ignition.



TSK5421L

Version 0.0 Print Date 05/24/2011
Revision Date 00/00/0000 00000015290

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Provide adequate ventilation, including appropriate local

extraction, to ensure that the defined occupational exposure limit is not exceeded. Keep away from sources of ignition - No

smoking.

Storage

Requirements for storage

areas and containers

: Store in a dark, cool place indoors, with container tightly

closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures

Provide adequate general and local exhaust ventilation.

Eyewash bottle with clean water.

Personal protective equipment

Respiratory protection : Not applied

Hand protection : Advice: Rubber or plastics gloves

Eye protection : Safety glasses with side shields

Skin and body protection : Chemical resistant clothing

Wear rubber boots.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : Paste

Colour : White

Odour : Faint



TSK5421L

Version 0.0 Print Date 05/24/2011
Revision Date 00/00/0000 00000015290

Safety data

pH : No data available.

Melting Point : Melting point (°C)

No data available.

Boiling point/boiling range : No data available.

Flash point : 200 °C Autoignition temperature : 450 °C

Upper explosion limit : Not applied Vapour

pressure : No data available. Density

: 1.0 g/cm3 at 15 °C

Solubility/qualitative : Insoluble

Water solubility : Insoluble

Solubility in other solvents : No data available.

10. STABILITY AND REACTIVITY

Materials to avoid : The catalysis of strong acids or bases cause polymerization or

decomposition.

Further information : Combustible

Flammability

Hazardous decomposition

products

: This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees

Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from

Momentive.



TSK5421L

 Version 0.0
 Print Date 05/24/2011

 Revision Date 00/00/0000
 000000015290

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : No data available.

Acute inhalation toxicity : No data available.

Acute dermal toxicity : No data available.

Skin irritation. : No data available.

Eye irritation : No data available.

Sensitization : No data available.

Mutagenicity : No data available.

Further information No data available.

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Persistence and degradability

Additional ecological

information

: No data available.

: No data available.

13. DISPOSAL CONSIDERATIONS

Product : Can be incinerated when in compliance with local regulations.

Silica particulates are formed on incineration.

14. TRANSPORT INFORMATION

Japan Dangerous Goods Regulatory Information:

JFSL Designated Flammable Substances (Synthetic resins) for 3tons or more, No fire

Not classified as dangerous in the meaning of transport regulations.



TSK5421L

Version 0.0 Print Date 05/24/2011
Revision Date 00/00/0000 00000015290

15. REGULATORY INFORMATION

Inventories

Australia Inventory of y (positive listing)

Chemical Substances (AICS)

EU list of existing chemical y (positive listing)

substances

Japan Inventory of Existing & y (positive listing)

New Chemical Substances

(ENCS)

China Inventory of Existing y (positive listing)

Chemical Substances

Korea Existing Chemicals

Inventory (KECI)

y (positive listing)

y (positive listing)

Canada DSL Inventory y (positive listing)
Canada NDSL Inventory n (Negative listing)

Philippines Inventory of Chemicals and Chemical

Substances (PICCS)

TSCA list y (positive listing)

On TSCA Inventory

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

National legislation

: JFSL Designated Flammable Substances (Synthetic resins) for

3tons or more.

PRTR and Promotion of Chemical Management Law, new regulated substances (Cabinet

Order No. 356, 2008):

Specified Class 1 :

substance(s):

Class 1 Substance(s):

Class 2 Substance(s):

Industrial Safety and Health Law:

Article 57-2 Regulated Substance(s): None Reported

Article 57 Regulated Substance(s) subject to labeling: None Reported



TSK5421L

Version 0.0 Print Date 05/24/2011
Revision Date 00/00/0000 00000015290

16. OTHER INFORMATION

Literature Reference : ACGIH TLV for Chemical Substances

Chemical safe administration data book (The Chemical Daily

Co., Ltd.)

Precautions : This material is developed and manufactured for industrial

applications only. For medical or other special applications, use after performing safety testing on the product and confirming safety. Never use for human applications such as implant, impregnation, or where a residue may possibly remain in the

body.

Other precautions : Other (an address, and telephone and fax numbers for

information, references) The information herein is made based on references, information and data available at present. It may be revised when new information is available. The descriptions herein are for normal handling. For special applications, make

safety provisions suitable to them prior to use.

The physical properties and other values indicated on this document are average values expected for the product and are

not guaranteed.

Further information

Wear suitable protective clothing, gloves and eye/face protection.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.