

Revision Date: 08/29/2017

## RTV 60/DBT

# SAFETY DATA SHEET

## 1. Identification

Product identifier: RTV 60/DBT

Other means of identification

Synonyms: SILICONE RUBBER

Recommended use and restriction on use

Recommended use: Silicone Elastomer

Restrictions on use: Not known.

**Manufacturer** : Momentive Performance Materials LLC

260 Hudson River Road Waterford NY 12188

**Distributor Information** : DC Products Pty Limited

Unit 117 45 Gilby Road

Mount Waverley 3149 Australia

Contact person : Viren Kumar

**Telephone** : +61 3 95588898

**Emergency telephone number** 

**Supplier** : 61 418 529 118

# 2. Hazard(s) identification

**Hazard Classification** 

Not classified

#### **Label Elements**

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: not applicable

Precautionary Statements not applicable

SDS\_US 1/14



Revision Date: 08/29/2017

#### RTV 60/DBT

Other hazards which do not result in GHS classification:

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Red iron oxide	1309-37-1	20 - <50%	# This substance has workplace exposure limit(s).
Diatomaceous Earth	68855-54-9	10 - <20%	# This substance has workplace exposure limit(s).
(1) Cristobalite	14464-46-1	5 - <10%	# This substance has workplace exposure limit(s).
Silicic acid, ethyl ester	11099-06-2	1 - <5%	# This substance has workplace exposure limit(s).
(1) QUARTZ	14808-60-7	0.1 - <1%	# This substance has workplace exposure limit(s).

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

## 4. First-aid measures

**Ingestion:** If swallowed, rinse mouth with water (only if the person is conscious). Do

NOT induce vomiting. Consult a physician for specific advice.

**Inhalation:** Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

**Skin Contact:** Wash area with soap and water.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

SDS\_US 2/14



Revision Date: 08/29/2017

#### RTV 60/DBT

#### Most important symptoms/effects, acute and delayed

No data available. Symptoms:

Hazards: No data available.

# Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

## 5. Fire-fighting measures

**General Fire Hazards:** Use standard firefighting procedures and consider the hazards of other

involved materials.

### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Oxides of silicon. Exposure to fire can generate toxic fumes. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

# Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system. Cool

fire-endangered containers with water.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep container closed. Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes. Use only in well-ventilated areas. Keep out of reach of children. See Section 8 of the SDS for Personal Protective

Equipment.

SDS\_US 3/14



Revision Date: 08/29/2017

## RTV 60/DBT

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

## 7. Handling and storage

**Precautions for safe handling:** Do not get in eyes, on skin, on clothing. Do not taste or swallow. See

Section 8 of the SDS for Personal Protective Equipment. Use only in well-ventilated areas. Wash hands after handling. Sensitivity to static discharge

is not expected.

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place. Use original

container or packaging of similar material of construction

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Red iron oxide - Respirable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
Red iron oxide - Dust and fume as Fe	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Red iron oxide - Fume.	PEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Diatomaceous Earth	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) Cristobalite - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) Cristobalite - Fiber.	REL	3 fibers/cm3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) Cristobalite - Fiber, total	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) Cristobalite - fibers, total dust	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) Cristobalite - Dust.	REL	3 fibers/cm3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) Cristobalite	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
<ol> <li>Cristobalite - Respirable dust.</li> </ol>	TWA	0.05 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) Cristobalite - Respirable.	TWA	1.2 millions of particles per cubic foot	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)

SDS\_US 4/14



Revision Date: 08/29/2017

#### RTV 60/DBT

of air	
0.15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000)
	(2000)
0.05 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000)
	(2000)
0.025 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical
	Hazards (2010)
0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000)
-	(1989)
2.4 millions	US. OSHA Table Z-3 (29 CFR 1910.1000)
of particles	(2000)
per cubic foot	
of air	
0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000)
	(2000)
0.05 mg/m3	US. OSHA Table Z-1 Limits for Air
Ğ	Contaminants (29 CFR 1910.1000) (03 2016)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

# Appropriate Engineering

Controls

Eye wash facilities and emergency shower must be available when

handling this product. Use only in well-ventilated areas.

#### Individual protection measures, such as personal protective equipment

**General information:** Wear suitable gloves and eye/face protection.

**Eye/face protection:** Safety glasses with side shields

**Skin Protection** 

**Hand Protection:** Rubber gloves are recommended.

Other: None known.

**Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

**Hygiene measures:** Observe good industrial hygiene practices. Good personal hygiene is

necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

SDS\_US 5/14



Revision Date: 08/29/2017

#### RTV 60/DBT

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Red
Odor: Faint

Odor threshold:

pH:

No data available.

No data available.

No data available.

not applicable

not applicable

not applicable

Flash Point: ca. 109 °C (Closed Cup)

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

Vapor pressure: No data available.

Vapor density: > 7

**Density:** ca. 1.48 g/cm3 **Relative density:** ca. 1.48

Solubility(ies)

Solubility in water: Slightly Soluble
Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log
No data available.

Pow:

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.VOC:15 g/l ;

SDS\_US 6/14



Revision Date: 08/29/2017

#### RTV 60/DBT

## 10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

**Chemical Stability:** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerisation does not occur.

reactions:

Conditions to avoid: None known.

**Incompatible Materials:** None known.

**Hazardous Decomposition** 

Carbon dioxide Silicon dioxide. Measurements at temperatures above **Products:** 

150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

## 11. Toxicological information

## Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

**Skin Contact:** No data available.

No data available. Eye contact:

#### Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data. Not classified for

acute toxicity based on available data.

Specified substance(s):

(1) Cristobalite LD 50 (Rat): 5,000 mg/kg

SDS\_US 7/14



Revision Date: 08/29/2017

## RTV 60/DBT

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.Not classified for

acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data. Not classified for

acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

**Respiratory or Skin Sensitization** 

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

(1) Cristobalite Overall evaluation: 1. Carcinogenic to humans.

(1) QUARTZ Overall evaluation: 1. Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

(1) Cristobalite Known To Be Human Carcinogen. Reasonably Anticipated to be a Human

Carcinogen.

(1) QUARTZ Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

SDS\_US 8/14



Revision Date: 08/29/2017

## RTV 60/DBT

## **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

## **Ecotoxicity:**

## Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

## Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

SDS\_US 9/14



Revision Date: 08/29/2017

## RTV 60/DBT

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

Biodegradation

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Red iron oxide
Diatomaceous Earth
(1) Cristobalite
Silicic acid, ethyl ester
(1) QUARTZ
No data available.
No data available.
No data available.
No data available.

Other adverse effects: No data available.

## 13. Disposal considerations

**General information:** The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local

regulations.

**Contaminated Packaging:** Dispose of as unused product.

SDS\_US 10/14



Revision Date: 08/29/2017

## RTV 60/DBT

## 14. Transport information

DOT

Not regulated.

**IMDG** 

Not regulated.

**IATA** 

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

## 15. Regulatory information

## **US Federal Regulations**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

## **CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## **Hazard categories**

No SARA Hazards

## **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

## **SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

SDS\_US 11/14



Revision Date: 08/29/2017

#### RTV 60/DBT

#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity

Red iron oxide 10000 lbs
Diatomaceous Earth 10000 lbs
(1) Cristobalite 10000 lbs
Silicic acid, ethyl ester 10000 lbs
(1) QUARTZ 10000 lbs

## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

## **US State Regulations**

## **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Diatomaceous Earth Carcinogenic.
(1) Cristobalite Carcinogenic.
(1) QUARTZ Carcinogenic.

## US. New Jersey Worker and Community Right-to-Know Act

## **Chemical Identity**

Siloxanes and Silicones, di-Me hydroxy terminated

Red iron oxide

Diatomaceous Earth

(1) Cristobalite

Silicic acid, ethyl ester

(1) QUARTZ

## US. Massachusetts RTK - Substance List

#### **Chemical Identity**

- (1) Cristobalite
- (1) QUARTZ

## US. Pennsylvania RTK - Hazardous Substances

# **Chemical Identity**

Red iron oxide

Diatomaceous Earth

(1) Cristobalite

Silicic acid, ethyl ester

SDS\_US 12/14



Revision Date: 08/29/2017

## RTV 60/DBT

#### **US. Rhode Island RTK**


No ingredient regulated by RI Right-to-Know Law present.

## **Inventory Status:**

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inv. Existing Chemical	y (positive listing)	Remarks: None.
Substances:		
Korea Existing Chemicals Inv.	y (positive listing)	Remarks: None.
(KECI):		
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan Chemical Substance	y (positive listing)	Remarks: None.
Inventory:		

# 16.Other information, including date of preparation or last revision

#### **HMIS Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 08/29/2017

**Revision Date:** No data available.

Version #: 2.0

Further Information: No data available.

SDS\_US 13/14



Revision Date: 08/29/2017

#### RTV 60/DBT

#### Disclaimer:

#### Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.

SDS\_US 14/14