

## SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification	
Product identifier: RTV 106	
Other means of identification Synonyms:	ACETOXY SEALANT (red)
Recommended use and restrie	ction on use
Recommended use: Silicone Restrictions on use: For inc	
Manufacturer	: Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7 DE - 51368 Leverkusen Germany
Distributor Information	: DC Products Pty Limited Unit 117/45 Gilby Road Mount Waverley 3149 Australia
Contact person	: viren.kumar@dcproducts.com.au
Telephone	: +613 9558 8898
Emergency telephone numbe	er:+61 418 529 118

## 2. Hazard(s) identification

#### **Hazard Classification**

#### Health Hazards

Toxic to reproduction

Category 2

#### Label Elements

Hazard Symbol:



Signal Word:

Warning

MOMENTIVE nting possibilities

#### **RTV 106**

Hazard Statement:	H361f; Suspected of damaging fertility.
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response :	IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
Hazard(s) not otherwise classified (HNOC):	None.
Substance(s) formed under the	Generates acetic acid during cure.

### 3. Composition/information on ingredients

#### Mixtures

conditions of use:

Chemical Identity	CAS number	Content in percent (%)*	Notes
Treated Fumed Silica	68583-49-3	10 - <20%	# This substance has workplace exposure limit(s).
Methyltriacetoxysilane	4253-34-3	3 - <5%	No data available.
Red iron oxide	1309-37-1	1 - <5%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	1 - <3%	No data available.

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

#### 4. First-aid measures

General information:

No action shall be taken involving any personal risk or without suitable training.

MOMENTIVE inventing possibilities

**RTV 106** 

Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention.
Inhalation:	If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
Skin Contact:	Wash with soap and water.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Most important symptoms/effects,	acute and delayed
Symptoms:	None known.
Hazards:	No data available.
Indication of immediate medical a	attention and special treatment needed
Treatment:	Treatment is symptomatic and supportive.
5. Fire-fighting measures	
General Fire Hazards:	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
Suitable (and unsuitable) extingui	shing media
Suitable extinguishing media:	All standard extinguishing agents are suitable.
Unsuitable extinguishing media:	Do not use water jet.
Specific hazards arising from the chemical:	In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water.
Special protective equipment and Special fire-fighting procedures:	<b>I precautions for fire-fighters</b> Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters:	Firefighters must wear NIOSH/MSHA approved positive pressure self- contained breathing apparatus with full face mask and full protective clothing.
SDS_US	3/15



6. Accidental release measure	-
Personal precautions, protective equipment and emergency procedures:	Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.
	Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep out of reach of children. Keep container closed. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.
Methods and material for containment and cleaning up:	Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.
Notification Procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment.
7. Handling and storage	
Precautions for safe handling:	Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.
Conditions for safe storage, including any incompatibilities:	Keep container tightly closed in a cool, well-ventilated place.

## 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Expos ure Limit Values	Source
Red iron oxide - Respirable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
Red iron oxide - Dust and fume as Fe	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Red iron oxide - Fume.	PEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as



		]	amended (01 2015)
Red iron oxide - Total dust.	TWA	50 millions of particles per	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
		cubic foot of	
		air	
Red iron oxide - Respirable	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
fraction.			amended (03 2016)
	TWA	15 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
		particles per	amended (03 2016)
		cubic foot of	( )
		air	
Red iron oxide - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
		10 mg/mo	amended (03 2016)
Dad increased		0.500 mm/mm2	
Red iron oxide	IDLH	2,500 mg/m3	US. NIOSH. Immediately Dangerous to Life or
			Health (IDLH) Values, as amended (10 2017)

Appropriate Engineering Controls Provide adequate general and local exhaust ventilation. Eye washes and showers for emergency use.

#### Individual protection measures, such as personal protective equipment

General information:	Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.
Eye/face protection:	Safety glasses with side shields
Skin Protection Hand Protection:	Butyl rubber gloves are recommended.
Other:	Wear suitable protective clothing and eye/face protection.
Respiratory Protection:	If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
Hygiene measures:	Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

## 9. Physical and chemical properties

#### Appearance

Physical state:	solid
Form:	Paste
Color:	Red
Odor:	Acetic acid.
Odor threshold:	No data available.
pH:	Not applicable
Melting point/freezing point:	No data available.
SDS_US	

MOMENTIVE inventing possibilities

**RTV 106** 

Initial boiling point and boiling range :	Not applicable
Flash Point:	> 93.3 °C (estimated)
Evaporation rate:	< 1
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosiv	e limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Heat of combustion:	No data available.
Vapor pressure:	Not applicable
Vapor density:	Not applicable
Density:	1.06 g/cm3 (23 °C)
Relative density:	ca. 1.06
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	Toluene
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature :	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
Minimum ignition temperature :	Not applicable
VOC:	26 g/l ;

## 10. Stability and reactivity

Reactivity:	Reacts with water.
Chemical Stability: Possibility of hazardous reactions:	Material is stable under normal conditions. Hazardous polymerization does not occur.
Conditions to avoid:	Keep away from moisture. Reacts with water liberating small amounts of acetic acid.
Incompatible Materials:	Strong Acids, Strong Bases Water.

Hazardous Decomposition	Carbon dioxide Silicon dioxide. Formaldehyde. Measurements at
Products:	temperatures above 150°C in presence of air (oxygen) have shown that
	small amounts of formaldehyde are formed due to oxidative degradation.

## 11. Toxicological information

Information on likely routes of ex Ingestion:	No data available.		
Inhalation:	No data available.		
Skin Contact:	No data available.		
Eye contact:	No data available.		
Symptoms related to the physical Ingestion:	l, chemical and toxicological characteristics No data available.		
Inhalation:	No data available.		
Skin Contact:	No data available.		
Eye contact:	No data available.		
Information on toxicological effe	Information on toxicological effects		
Acute toxicity (list all possible	routes of exposure)		
Oral Product: Specified substance(s): Octamethylcyclotetrasilox ane	ATEmix: 6,701.07 mg/kg LD 50 (Rat): > 4,800 mg/kg		
Dermal Product: Specified substance(s): Octamethylcyclotetrasilox ane	Not classified for acute toxicity based on available data. LD 50 (Rat): > 2,375 mg/kg		
Inhalation Product: Specified substance(s): Octamethylcyclotetrasilox ane	Not classified for acute toxicity based on available data. LC50 (Rat): 36 mg/l		

#### Repeated dose toxicity

#### Product:

No data available.



Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritation	on No data available.	
Specified substance(s): Octamethylcyclotetrasil oxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating	
Respiratory or Skin Sensitization Product:	<b>n</b> No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the I No carcinogenic components	Evaluation of Carcinogenic Risks to Humans:	
US. National Toxicology Pl No carcinogenic components	rogram (NTP) Report on Carcinogens:	
US. OSHA Specifically Reg No carcinogenic components	gulated Substances (29 CFR 1910.1001-1050), as amended:	
No carcinogenic components Germ Cell Mutagenicity In vitro Product:		
No carcinogenic components Germ Cell Mutagenicity In vitro	identified	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo	No data available. Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product:	No data available. Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product: Specified substance(s):	No data available. Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic) No data available.	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product:	<ul> <li>identified</li> <li>No data available.</li> <li>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)</li> <li>No data available.</li> <li>Chromosomal aberration (OECD 475) Inhalation (Rat, male and female): negative</li> </ul>	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product: Specified substance(s): Octamethylcyclotetrasilox	<ul> <li>identified</li> <li>No data available.</li> <li>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)</li> <li>No data available.</li> <li>Chromosomal aberration (OECD 475) Inhalation (Rat, male and female):</li> </ul>	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product: Specified substance(s): Octamethylcyclotetrasilox ane Reproductive toxicity	<ul> <li>identified</li> <li>No data available.</li> <li>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)</li> <li>No data available.</li> <li>Chromosomal aberration (OECD 475) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative</li> </ul>	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product: Specified substance(s): Octamethylcyclotetrasilox ane	<ul> <li>identified</li> <li>No data available.</li> <li>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)</li> <li>No data available.</li> <li>Chromosomal aberration (OECD 475) Inhalation (Rat, male and female): negative</li> </ul>	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product: Specified substance(s): Octamethylcyclotetrasilox ane Reproductive toxicity	<ul> <li>identified</li> <li>No data available.</li> <li>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)</li> <li>No data available.</li> <li>Chromosomal aberration (OECD 475) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative</li> <li>No data available.</li> </ul>	
No carcinogenic components Germ Cell Mutagenicity In vitro Product: Specified substance(s): Octamethylcyclotetrasilox ane In vivo Product: Specified substance(s): Octamethylcyclotetrasilox ane Reproductive toxicity Product:	<ul> <li>identified</li> <li>No data available.</li> <li>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)</li> <li>No data available.</li> <li>Chromosomal aberration (OECD 475) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative</li> <li>No data available.</li> </ul>	



Specific Target Organ Toxicity - Repeated Exposure Product: No data available.		
Aspiration Hazard Product:	No data available.	
Other effects:	Acetic acid released during curing. Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level–a level much higher than the low levels that cons	
	effects (birth defects) were observed in either study.	

## 12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:



Fish Product: Specified substance(s): Octamethylcyclotetrasilox ane Aquatic Invertebrates Product: Specified substance(s): Octamethylcyclotetrasilox ane	No data available. No toxicity at the limit of solubility ; LC50 (Oncorhynchus mykiss, 96 h): > 0.022 mg/l No data available. No toxicity at the limit of solubility ; EC50 (Daphnia magna, 48 h): > 0.015 mg/l
Chronic hazards to the aquation	
Fish Product: Specified substance(s): Octamethylcyclotetrasilox ane	No data available. No toxicity at the limit of solubility ; NOEC (Oncorhynchus mykiss, 93 d): >= 0.0044 mg/l
Aquatic Invertebrates Product: Specified substance(s): Octamethylcyclotetrasilox ane	No data available. No toxicity at the limit of solubility ; NOEC (Daphnia magna, 21 d): > 0.015 mg/l
Toxicity to Aquatic Plants Product: Specified substance(s): Octamethylcyclotetrasilox ane	No data available. No toxicity at the limit of solubility ; ErC50 (Selenastrum capricornutum, 96 h): > 0.022 mg/l
Persistence and Degradability	
Biodegradation Product: Specified substance(s): Octamethylcyclotetrasilox ane	No data available. 3.7 % (29 d, 310 Ready Biodegradability - $CO_2$ in Sealed Vessels (Headspace Test)) Not readily biodegradable.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential	
SDS_US	10/15



Bioconcentration Factor (BCF) Product:

No data available.

MOMENTIVE inventing possibilities

#### **RTV 106**

Specified substance(s): Octamethylcyclotetrasilox ane	Bioconcentration Factor (BCF): 12,400
Partition Coefficient n-octan Product:	ol / water (log Kow) No data available.
Mobility in soil:	No data available.
Known or predicted distribu	tion to environmental compartments
Treated Fumed Silica	No data available.
Methyltriacetoxysilane	No data available.
Red iron oxide	No data available.
Octamethylcyclotetrasiloxa ne	No data available.
Other adverse effects:	No data available.
3. Disposal considerations	
General information:	The generation of waste should be avoided or minimized wherever possible See Section 8 for information on appropriate personal protective equipment Do not discharge into drains, water courses or onto the ground.
Disposal instructions:	Disposal should be made in accordance with federal, state and local regulations.
Contaminated Packaging:	Dispose of as unused product.
4. Transport information	
4. Transport information	
not regulated.	
DOT Not regulated.	

#### IMDG

Not regulated.

#### IATA

Not regulated.

Special precautions for user:	This product is not regarded as dangerous goods according to the
	national and international regulations on the transport of
	dangerous goods.

#### 15. Regulatory information

#### **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Octamethylcyclotetrasilox	The minimum concentration: TSCA 4: 1.0%
ane	One-Time Export Notification only.

## US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<b>Chemical Identity</b> Dimethylpolysiloxane Siloxanes and Silicones, di-Me hydroxy terminated Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes, hydroxy- terminated	OSHA hazard(s) No OSHA Hazards No OSHA Hazards No OSHA Hazards
Methyltriacetoxysilane	Corrosive to skin and eyes.; Corrosive to eyes
Red iron oxide Octamethylcyclotetrasilox ane	Causes mild skin irritation.; Respiratory hazard. Systemic effects

#### CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Reproductive toxicity

- SARA 302 Extremely Hazardous Substance None present or none present in regulated quantities.
- SARA 304 Emergency Release Notification None present or none present in regulated quantities.

#### SARA 311/312 Hazardous Chemical Chemical Identity Threshold Planning Quantity

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting None present or none present in regulated quantities.



## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None present or none present in regulated quantities.

#### **US State Regulations**

#### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

# US. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u>

Dimethylpolysiloxane Siloxanes and Silicones, di-Me hydroxy terminated Treated Fumed Silica Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes, hydroxy-terminated Methyltriacetoxysilane Red iron oxide

US Magaa abuaatta DTK Subatanaa

## US. Massachusetts RTK - Substance List

Chemical Identity Red iron oxide

#### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Red iron oxide

#### US. Rhode Island RTK

Chemical Identity Red iron oxide

Version: 4.4 Revision Date: 02/06/2023



**RTV 106** 

#### Inventory Status:

REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.
Australia Industrial Chem. Act (AIIC):	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: Commercial Status: Active

## 16.Other information, including date of preparation or last revision

#### **HMIS Hazard ID**

Health	*	0
Flammability		0
Physical Hazards		1
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

Issue Date:

02/06/2023



Revision Date:	No data available.
Version #:	4.4
Further Information: Disclaimer:	No data available.
	Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

#### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.